



**Okuma  
Australia -  
Melbourne -  
Head Office  
3 Tampe Road  
Rowville Victoria**

**1 300 1  
OKUMA**

---

## Space Turn LB2000 EXII



**Brand:** Okuma Australia  
**Product Code:** SPTLB#2000  
**Availability:** In Stock  
**Weight:** 0.00kg  
**Dimensions:** 0.00cm x 0.00cm x 0.00cm

### Short Description

The LB2000 EX-II 2-axis turning center is built on Okuma's Thermo-Friendly Concept to ensure minimal thermal growth, and slanted box bed construction translates to unsurpassed quality and rigidity.

### Description

The LB2000 EX-II 2-axis turning center is built on Okuma's Thermo-Friendly Concept to ensure minimal thermal growth, and slanted box bed construction translates to unsurpassed quality and rigidity. Equipped with Okuma's high power, high torque PREX motor, this machine delivers high quality machining from heavy to high speed cutting with a through-hole diameter able to accommodate larger workpieces. The operator-friendly Okuma OSP P300L control makes this machine not only easy to operate, but also to integrate with other peripheral equipment. A wide variety of bed lengths, bore sizes and options, including live tooling, sub-spindle and Y-axis, means there is a configuration

to meet any shop's requirements.

## Specification

MODEL	UNIT	SPACE TURN LB2000 EXII
Max Work Length	mm	150 (No Tailstock); 300; 500
Max Turning Dia	? mm	360-430
Spindle Speed	min <sup>-1</sup>	6000, 5000
Spindle bore	mm	62, 80
Turret		V12
Motor (VAC)	kW	11/7.5, 15/11, 22/15
Floor Space	mm	1855x1734
Spec		L/M/W/MY/MW

L Turning only

M Multitasking specs (M-tool)

W Sub-spindle specs (W-axis)

MY Multitasking + Y-axis specs

MW Multitasking + Sub-spindle specs (W-axis)

## Product Gallery

