



**Okuma**  
**Australia -**  
**Melbourne -**  
**Head Office**  
**3 Tampe Road**  
**Rowville Victoria**

**1 300 1**  
**OKUMA**

---

## Space Turn LB4000 EXIII



**Brand:** Okuma Australia  
**Product Code:** STL#4000  
**Availability:** In Stock  
**Weight:** 0.00kg  
**Dimensions:** 0.00cm x 0.00cm x 0.00cm

### Short Description

The LB4000 EX-III 2-axis turning center is built on Okuma's Thermo-Friendly Concept to ensure minimal thermal growth, and slanted box bed construction translates to unsurpassed quality and rigidity.

### Description

The LB4000 EX-II 2-axis turning center is built on Okuma's Thermo-Friendly Concept to ensure minimal thermal growth, and slanted box bed construction translates to unsurpassed quality and rigidity. Equipped with Okuma's high power, high torque PREX motor, this machine delivers high quality machining from heavy to high speed cutting with a through-hole diameter able to accommodate larger workpieces. The operator-friendly Okuma OSP P500L control makes this machine not only easy to operate, but also to integrate with other peripheral equipment. A wide variety of bed lengths, bore sizes and options, including live tooling, sub-spindle and Y-axis, means there is a configuration

to meet any shop's requirements.

## Specification

MODEL	UNIT	SPACE TURN LB4000 EXII
Max Work Length	mm	380 (no Tailstock), 750, 1500, 2150
Max Turning Dia	? mm	430-480
Spindle Speed	min <sup>-1</sup>	4200, 3000
Spindle Bore	mm	91, 112
Turret		V12
Motor (VAC)	kW	30/22, 37/30
Floor Space	mm	3,050/4,725x1,900
Spec		L/M/MY

L Turning only

M Multitasking specs (M-tool)

MY Multitasking + Y-axis specs

## Product Gallery



